



The robust powerhouse



# Talamex Heavy Duty

## The robust powerhouse

**A robust boat built strong for hard conditions, bigger loads and higher HPs. The Talamex Heavy Duty is up for the task!**

The Talamex Heavy Duty HDX models are characterized by its strong 1,2mm 2000 decitex PVC fabric which significantly extends the boat's lifetime and makes it up for every task. The extra wide air chambers result in higher stability and

the Talamex Heavy Duty has excellent sailing characteristics due to its inflatable keel. Its aluminium floor, anti sprayflaps, overpressure relief valve, hard handles, anti skid pads on the air chambers and long lifeline make the boat bold and the perfect rescue, fishing and diving companion. The boat is equipped with SS lifting and towing eyes, aluminium paddles and two adjustable aluminium seatbenches. All stringers

are numbered separately for easy mounting. In the standard package of the boats is among other: a repair kit, double-action handpump, fueltank strap, mooring line and a packing bag for both the boat and floor panels. The boats have 2 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection, making them meet all European requirements!

**The Heavy Duty is available in three different lengths, all with an aluminium floor:**

Boat type	Length
HDX400 Heavy Duty	400 cm
HDX450 Heavy Duty	450 cm

## Fully equipped



- ① Lifeline around the boat for extra security
- ② SS bow handle and towing D-rings on the bow
- ③ High quality 1,2mm 2000 decitex PVC fabric
- ④ Hard handles
- ⑤ Overpressure relief valve
- ⑥ Two adjustable aluminium seatbenches
- ⑦ Extra thick rubbing strake
- ⑧ Aluminium paddles
- ⑨ Anti skid pads on the air chambers
- ⑩ Anti sprayflaps
- ⑪ Air chambers
- ⑫ Luxurious sliding drainvalve
- ⑬ Solid end cones for better protection




**Anti sprayflaps**

Thanks to the cleverly placed flaps on the transom, waterspraying is reduced to a minimum.



**Overpressure relief valve**

Your boat is protected against damage from excess pressure thanks to the smart pressure relief valve



**Aluminium seatbenches**

The two aluminium seatbenches are lightweight and maintenance free.



**Aluminium paddles**

Equipped with strong aluminium paddles



**SS towing D-rings**

Two strong SS D-rings on the bow.




**Lifeline**

Lifeline around the boat for extra security.



**Luxurious sliding drainvalve**

From the inside controlled sliding drainvalve.



**1,2mm PVC fabric**

Extra thick PVC fabric for an extended lifetime.

# HDX Heavy Duty

HDX 400 450 500

## The boat to handle any condition

The Talamex Heavy Duty HDX models are built of even thicker PVC than all other Talamex inflatable boats. The wider air chambers and aluminium floor make the boat extremely stable. Its inflatable keel gives the bottom a V-shape which gives the boat excellent sailing characteristics. The overpressure relief valve and long lifeline provide for extra safety and security. All Heavy Duty models are equipped with a short transom and therefore suitable for short shaft engines.



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/PS	Max. engine weight (kg)	Package size boat (cm)	Max. Passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. paddles (kg)	Transom height
<b>85.907.400 HDX400</b>	400 x 194	Aluminium	850	22,1/30	90	135 x 74 x 40	6	3+1	52	109	Short
<b>85.907.450 HDX450</b>	450 x 194	Aluminium	1000	29,4/40	100	135 x 74 x 43	8	3+1	52	123	Short

# Talamex electric outboard engines

TM 30 40 48 58 66 86

Combine your Talamex boat with a Talamex electric outboard engine!

- Telescopic tiller with 5 forward and 3 reverse gears
- Suitable for fresh, brackish and salt water
- Immersion depth and infinitely adjustable steering pressure
- Battery charging control display
- Battery clamps



Article number	Description	Max boat-weight (kg)	Shaft length (mm)	Tiller	Weight (kg)
<b>85.804.030</b>	Talamex electric outboard engine TM30 12V	850	760	Telescopic	7,2
<b>85.804.031</b>	Talamex electric outboard engine TM40 12V	1.200	910	Telescopic	8,8
<b>85.804.032</b>	Talamex electric outboard engine TM48 12V	1.450	910	Telescopic	8,8
<b>85.804.033</b>	Talamex electric outboard engine TM58 12V	1.850	910	Telescopic	10
<b>85.804.034</b>	Talamex electric outboard engine TM66 12V	2.200	910	Telescopic	11,5
<b>85.804.035</b>	Talamex electric outboard engine TM86 24V	2.500	910	Telescopic	12,5
<b>85.804.026</b>	Eyeterminal wire kit (optional)	-	-	-	-
<b>85.922.215</b>	Bracket for trollingmotor bow mounting grey	-	-	-	-
<b>85.922.240</b>	Bracket for trollingmotor bow mounting black	-	-	-	-
<b>14.641.105</b>	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 30A	-	-	-	-
<b>14.641.106</b>	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 50A	-	-	-	-
<b>14.661.100</b>	Talamex automatic battery charger 10A, 12/24V	-	-	-	-
<b>14.649.905</b>	Battery Nautic 12V 105A	-	-	-	-



# Mariner outboard engines

F2.5M F3.5M F4M F5M F6M F8M F9.9M

Mariner has a great reputation with its outboard engines. As reliable as the engines of Mariner there are few other brands. Just carefree years sailing pleasure. The Mariner range at LankhorstTaselaar starts at the light 2,5HP engines for smaller boats to the heavier four stroke engines for larger boats! So there is always a model that fits your use and type of boat.



Article number	Description	Engine power in kW	Engine power in HP
98.000.120	Mariner F 2.5 M	1,9	2,5
98.000.121	Mariner F 3.5 M	2,6	3,5
98.000.123	Mariner F 4 M	2,9	4
98.000.126	Mariner F 5 M	3,7	5
98.000.128	Mariner F 6 M	4,4	6
98.000.130	Mariner F 8 M	5,9	8
98.000.131	Mariner F 9.9 M	7,3	9,9

# Accessories

## Mariner outboard engines



Article number	Description
<b>81.211.105</b>	Jerrycan fuel black 5l (264 x 140 x 246mm)
<b>81.211.110</b>	Jerrycan fuel black 10l (325 x 165 x 318mm)
<b>81.211.120</b>	Jerrycan fuel black 20l (389 x 213 x 388mm)
<b>18.702.012</b>	Carry can fuel 12l (260 x 460 x 220mm)
<b>18.702.000</b>	Carry can fuel 22l (320 x 540 x 235mm) with indicator
<b>18.702.023</b>	Carry can fuel 22l (320 x 540 x 235mm)
<b>18.702.030</b>	Carry can fuel 30l (360 x 500 x 230)
<b>91.101.810</b>	Outboard Cover XXS for 2,5-5HP (LxWxH: 40 x 25 x 30cm)
<b>91.101.811</b>	Outboard Cover XS for 2,5-15HP (LxWxH: 48 x 27 x 33cm)
<b>18.701.001</b>	Fuel hose with pump ball - 2m, Ø 9,5mm (3/8")
<b>75.460.100</b>	Tiller extension for outboards 60-120cm, Ø 25-30mm
<b>42.130.100</b>	Outboard motor lock with stainless steel AISI 316 cylinder lock. Dim.: 300 x 40 x 35mm
<b>42.117.002</b>	Outboard lock SS with hardened roller. Dim: 300 x 40 x 40mm


# Accessories

Article number	Description
85.922.108	Seatbag with cushion grey - 120x20cm
85.922.109	Seatbag with cushion grey - 105x20cm
85.922.110	Seatbag with cushion grey - 100x20cm
85.922.111	Seatbag with cushion grey - 90x20cm
85.922.112	Seatbag with cushion grey - 85x20cm
85.922.113	Seatbag with cushion grey - 80x20cm
94.100.020	Drybag 5L
94.100.021	Drybag 10L
94.100.022	Drybag 15L
85.922.123	Pressure gauge for handpump
85.922.040	Handpump standard valve Talamex
85.922.214	Anchor line holder for inflatable boat
20.300.165	Bravo BST 800 electric airpump
20.300.176	Bravo BST 800 Battery electric airpump
20.300.160	Bravo GE 230/1000 electric airpump
95.900.337	Oarlock replacement kit for bimini Aqualine, Greenline, Superlight
95.900.338	Oarlock replacement kit for bimini Comfortline, Highline, Silverline
95.900.339	Stainless steel bimini holder for oarlocker
85.922.236	Glue-on accessory base/mount (pair)
85.922.237	Adjustable plug-in holder for fishing rod
85.922.238	Adjustable plug-in platform for fishfinder/chartplotter



DELTA  
HEAVY DUTY

# Accessories



Article number	Description
<b>77.203.001</b>	Folding anchor 1,5kg
<b>77.203.002</b>	Folding anchor 2,5kg
<b>77.203.003</b>	Folding anchor 3,2kg
<b>77.203.004</b>	Folding anchor 4kg
<b>77.203.006</b>	Folding anchor 6kg
<b>79.625.102</b>	Boarding ladder for inflatables aluminium 2 steps
<b>79.625.103</b>	Boarding ladder for inflatables aluminium 3 steps
<b>85.540.174</b>	Transporträder Spiegelmontage
<b>81.101.829</b>	Boatcover Maxi Tender (300-360cm)
<b>81.101.830</b>	Boatcover Tender (240-300cm)
<b>81.101.831</b>	Boatcover XXS (420-480cm). (Boatwidth max. 180cm)
<b>81.101.832</b>	Boatcover XS (420-480cm). (Boatwidth max 229cm)
<b>85.930.200</b>	Aluminium pole for boat covers 60-100cm
<b>85.000.424</b>	Valet kit
<b>85.000.430</b>	Insta-Lock lock and lift system

# Talamex lifejackets

Specially selected for you

## Talamex Inflatable lifejacket 150N:

- Automatically & Manual
- For persons of 40 kg and more
- According ISO 12402-3

## Talamex 100N Kids lifejackets:

- Fabric 100% polyester, High visible EN ISO 20471
- Foam from light PE
- Reflective panels
- Crotchstrap for extra safety
- Adjustable waistbelt with strong nexus buckle
- Zipper closing
- According ISO 12402-4



Article number	Modell	Size	Weight
20.427.505	Talamex Inflatable lifejacket150N	Adult	40+ kg
20.427.020	Recharge set UML MK5 33g All Weather Automatic	Adult	40+ kg
20.400.001	Talamex 100N	Baby	0-15kg
20.400.015	Talamex 100N	Toddler	15-20kg
20.400.020	Talamex 100N	Child	20-30kg

# Specifications

Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/PS	Max. engine weight (kg)	Packing size(cm)	Max. Passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. paddles (kg)	Transom height
<b>85.907.400 HDX400</b>	400 x 194	Aluminium	850	22,1/30	90	135 x 74 x 40	6	3+1	52	109	Short
<b>85.907.450 HDX450</b>	450 x 194	Aluminium	1000	29,4/40	100	135 x 74 x 43	8	3+1	52	123	Short



The complete range of Talamex inflatable boats consists of the following models.  
Ask your dealer for more information or visit [www.talamexinflatables.com](http://www.talamexinflatables.com)



© 2021-01 Lankhorst Taselaar. All rights reserved. Lankhorst Taselaar continuously explores means the products it designs, manufactures and distributes to improve. We strive to the utmost to produce up-to-date sales and service documentation. The technical specifications of engines, boats and accessories are ongoing subject to change. This brochure should not be regarded as a precise guide to find the latest technical information. Also, this brochure is not intended as a sales brochure for particular engine, boat or accessories. Distributors and dealers are no agents of Lankhorst Taselaar and has no authority to give explicit commitments on behalf of Lankhorst Taselaar, including but not limited to, statements with respect to a product, sales, applications or service. Not all products are available in all countries. Some products shown in this catalog are equipped with optional accessories. Please consult your dealer. Model, color, image, specifications changes reserved.



**Talamex Marine Products distributed by Lankhorst Taselaar**  
Komeet 13 | 8448 CG Heerenveen | The Netherlands  
T +31 (0)320 27 46 11 | E sales@lankhorst-taselaar.nl  
I www.talamexinflatables.com

