



Robust aluminium RIB





Talamex Silverline

Robust aluminium RIB

Sporty sailing and enjoying a highly manoeuvrable boat with excellent sailing characteristics. That's where the Talamex Silverline is made for.

The Talamex Silverline is manufactured of 0,9mm durable and high quality 1100 decitex PVC fabric in combination with a 2,5mm thick double-deck aluminium hull. The advantage of an aluminium hull in addition to the strength and stiffness of aluminium is also the low weight. This makes the boat very manoeuvrable, fast and manageable. All Talamex Silverlines feature a bowlocker with fueltank strap and have double-deck hull with a

flat floor which has been finished with anti skid pads. The special powdercoating ensures a high-quality appearance and makes the hull almost maintenance free. The boats are equipped with many unique features and the best European accessoires. The Talamex Silverline is equipped with a Bravo overpressure relief valve, telescopic aluminium oars, adjustable aluminium seatbench, SS towing eyes and both hard and soft handles. Moreover, the six aluminium welded lifting eyes make the boat perfect for the davits. With the Talamex aluminium steering consoles, you can customize your boat for extra comfort. In the standard package of the boats is among other:

a seatcushion, repair kit, double-action hand-pump, fueltank strap. The boats have 2 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection, making them meet all European requirements!

The Talamex Silverline aluminium RIB is available in 4 different lengths, all with double-wall hull with flat floor:

Boat type	Length	Boat type	Length
85.908.270 Silverline 270	270 cm	85.908.310 Silverline 310	310 cm
85.908.290 Silverline 290	290 cm	85.908.350 Silverline 350	350 cm

Fully equipped



- ① Massive 'sharkfin' rubbing strake
- ② Soft stitched handles for comfortable grip
- ③ SS towing D-rings
- ④ Bowlocker suitable for 24L fuel tank
- ⑤ High shear
- ⑥ Adjustable aluminium seatbench
- ⑦ Bravo overpressure relief valve
- ⑧ 2,5mm double-deck aluminium hull with flat floor
- ⑨ Anti skid pads on the floor
- ⑩ High quality 0,9mm 1100 decitex PVC fabric
- ⑪ Airvalves with inflation sequence markers
- ⑫ Bravo telescopic oars
- ⑬ Hard handles
- ⑭ Drain plug
- ⑮ Welded aluminium lifting eyes
- ⑯ Fuel tank strap for securing of fuel tank
- ⑰ Seat cushion
- ⑱ Space between floors for fuel line



Airvalves with inflation sequence markers

3 airchambers with rings around the airvalves marking the inflation sequence.



Bowlocker

Bowlocker suitable for 24L fueltank and strap for securing the tank. Bowcushion is included.



Floor with anti skid pads

All RIBs are supplied with a flat floor finished with anti skid pads.




Telescopic oars

High quality Bravo telescopic oars.



Aluminium hull with lifting eyes

2,5mm thick double-deck hull with several welded lifting eyes.



V-shaped hull with flat floor

V-shaped hull with flat floor for better sailing qualities and more space.



Aluminium seatbench with cushion

The aluminium seatbench is adjustable, lightweight and maintenance free. A seatcushion is included.



Bravo overpressure relief valve

Your boat is protected against damage from excess pressure thanks to the smart Bravo pressure relief valve.

Silverline aluminium RIB

Robust aluminium RIB

The Talamex Silverline aluminium RIBs are robust and strong but due to the aluminum hull yet very lightweight. The RIBs are distinguished by the excellent sailing characteristics. All our Silverline RIBs are equipped with a bowlocker and a flat floor. RIBs are lightweight, durable and of high quality.



Boat type	Length x Width (cm)	Max. load capacity (kg)	Max. engine in kW/HP	Recommended kW/HP	Max. engine weight (kg)	Max. passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.908.270 Silverline 270	270 x 163	370	7,4/10	6,0/8	45	4	3	42	45	Short
85.908.290 Silverline 290	290 x 163	480	11,0/15	7,5/10	50	4	3	42	52	Short
85.908.310 Silverline 310	310 x 163	550	14,7/20	7,5/10	60	5	3	42	60	Short
85.908.350 Silverline 350	350 x 163	680	18,4/25	11,0/15	80	6	3	42	69	Short

Aluminium consoles

Talamex consoles offer the possibility to upgrade your RIB into a console boat. The aluminium consoles are 2mm thick, white powdercoated and are delivered with leather-look cushions. The consoles come without steering wheel, hub and remote.

Boat type	Inside dimensions LxW (cm)
85.908.270 Silverline 270	187 x 79
85.908.290 Silverline 290	200 x 79
85.908.310 Silverline 310	220 x 79
85.908.350 Silverline 350	258 x 79



85.908.902



85.908.901

Article number	Description	Suitable for:	Width seatbox (cm)
85.908.900	1-person console FCT725 white	SLR310 and larger	72,5
85.908.901	2-person console FCT880 white	SLR310 and larger	72,5
85.908.902	Jockeyseat console SU400 white	SLR350 and larger	40
85.908.904	Steering console with frontseat SU400 white	SLR350 and larger	40
85.908.903	1-persoon zitbank FCT550 voor stuurconsole wit	i.c.m. stuurconsole	55,0
85.908.906	1-persoon zitbank FCT725 voor stuurconsole wit	i.c.m. stuurconsole	72,5
85.908.905	2-persoons zitbank FCT880 voor stuurconsole wit	i.c.m. stuurconsole	72,5



85.908.904



85.908.903



85.908.905



85.908.906

Complete your Silverline and console with the leather-look bow cushion in matching colours 85.922.192.



Mariner outboard engines

F2.5M F3.5M F4M F5M F6M F8M F9.9M

Mariner has a great reputation with its outboard engines. As reliable as the engines of Mariner there are few other brands. Just carefree years sailing pleasure. The Mariner range at LankhorstTaselaar starts at the light 2,5HP engines for smaller boats to the heavier four stroke engines for larger boats! So there is always a model that fits your use and type of boat.

Article number	Description	Engine power in kW	Engine power in HP
98.000.120	Mariner F 2.5 M	1,9	2,5
98.000.121	Mariner F 3.5 M	2,6	3,5
98.000.123	Mariner F 4 M	2,9	4
98.000.126	Mariner F 5 M	3,7	5
98.000.128	Mariner F 6 M	4,4	6
98.000.130	Mariner F 8 M	5,9	8
98.000.131	Mariner F 9.9 M	7,3	9,9



Accessories

Mariner outboard engines




Article number	Description
81.211.105	Jerrycan fuel black 5l (264 x 140 x 246mm)
81.211.110	Jerrycan fuel black 10l (325 x 165 x 318mm)
81.211.120	Jerrycan fuel black 20l (389 x 213 x 388mm)
18.702.012	Carry can fuel 12l (260 x 460 x 220mm)
18.702.000	Carry can fuel 22l (320 x 540 x 235mm) with indicator
18.702.023	Carry can fuel 22l (320 x 540 x 235mm)
18.702.030	Carry can fuel 30l (360 x 500 x 230)
91.101.810	Outboard Cover XXS for 2,5-5HP (LxWxH: 40 x 25 x 30cm)
91.101.811	Outboard Cover XS for 2,5-15HP (LxWxH: 48 x 27 x 33cm)
18.701.001	Fuel hose with pump ball - 2m, Ø 9,5mm (3/8")
75.460.100	Tiller extension for outboards 60-120cm, Ø 25-30mm
42.130.100	Outboard motor lock with stainless steel AISI 316 cylinder lock. Dim.: 300 x 40 x 35mm
42.117.002	Outboard lock SS with hardened roller. Dim: 300 x 40 x 40mm

Accessories

Article number	Description
85.922.108	Seatbag with cushion grey - 120x20cm
85.922.109	Seatbag with cushion grey - 105x20cm
85.922.110	Seatbag with cushion grey - 100x20cm
85.922.111	Seatbag with cushion grey - 90x20cm
85.922.112	Seatbag with cushion grey - 85x20cm
85.922.113	Seatbag with cushion grey - 80x20cm
94.100.020	Drybag 5L
94.100.021	Drybag 10L
94.100.022	Drybag 15L
85.922.123	Pressure gauge for handpump
85.922.040	Handpump standard valve Talamex
85.922.214	Anchor line holder for inflatable boat
20.300.165	Bravo BST 800 electric airpump
20.300.176	Bravo BST 800 Battery electric airpump
20.300.160	Bravo GE 230/1000 electric airpump
95.900.337	Oarlock replacement kit for bimini Aqualine, Greenline, Superlight
95.900.338	Oarlock replacement kit for bimini Comfortline, Highline, Silverline
95.900.339	Stainless steel bimini holder for oarlocker
85.922.236	Glue-on accessory base/mount (pair)
85.922.237	Adjustable plug-in holder for fishing rod
85.922.238	Adjustable plug-in platform for fishfinder/chartplotter



Accessories



Article number	Description
77.203.001	Folding anchor 1,5kg
77.203.002	Folding anchor 2,5kg
77.203.003	Folding anchor 3,2kg
77.203.004	Folding anchor 4kg
77.203.006	Folding anchor 6kg
79.625.102	Boarding ladder for inflatables aluminium 2 steps
79.625.103	Boarding ladder for inflatables aluminium 3 steps
85.540.174	Transporträder Spiegelmontage
81.101.829	Boatcover Maxi Tender (300-360cm)
81.101.830	Boatcover Tender (240-300cm)
81.101.831	Boatcover XXS (420-480cm). (Boatwidth max. 180cm)
81.101.832	Boatcover XS (420-480cm). (Boatwidth max 229cm)
85.930.200	Aluminium pole for boat covers 60-100cm
85.000.424	Valet kit
85.000.430	Insta-Lock lock and lift system

Talamex lifejackets

Specially selected for you

Talamex Inflatable lifejacket 150N:

- Automatically & Manual
- For persons of 40 kg and more
- According ISO 12402-3

Talamex 100N Kids lifejackets:

- Fabric 100% polyester, High visible EN ISO 20471
- Foam from light PE
- Reflective panels
- Crotchstrap for extra safety
- Adjustable waistbelt with strong nexus buckle
- Zipper closing
- According ISO 12402-4



Article number	Modell	Size	Weight
20.427.505	Talamex Inflatable lifejacket150N	Adult	40+ kg
20.427.020	Recharge set UML MK5 33g All Weather Automatic	Adult	40+ kg
20.400.001	Talamex 100N	Baby	0-15kg
20.400.015	Talamex 100N	Toddler	15-20kg
20.400.020	Talamex 100N	Child	20-30kg

Specifications

Boat type	Length x Width (cm)	Max. load capacity (kg)	Max. engine in kW/HP	Recommended kW/HP	Max. engine weight (kg)	Max. passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
85.908.270 Silverline 270	270 x 163	370	7,4/10	6,0/8	45	4	3	42	45	Short
85.908.290 Silverline 290	290 x 163	480	11,0/15	7,5/10	50	4	3	42	52	Short
85.908.310 Silverline 310	310 x 163	550	14,7/20	7,5/10	60	5	3	42	60	Short
85.908.350 Silverline 350	350 x 163	680	18,4/25	11,0/15	80	6	3	42	69	Short

TALAMEX
SILVERLINE

The complete range of Talamex inflatable boats consists of the following models.
Ask your dealer for more information or visit www.talamexinflatables.com

Talamex
AQUALINE



Talamex
COMFORTLINE



Talamex
HIGHLINE



Talamex
SUPERLIGHT



Talamex
GREENLINE



Talamex
HEAVY DUTY



Talamex
SILVERLINE



Talamex
S-LINE



© 2021-01 Lankhorst Taselaar. All rights reserved. Lankhorst Taselaar continuously explores means the products it designs, manufactures and distributes to improve. We strive to the utmost to produce up-to-date sales and service documentation. The technical specifications of engines, boats and accessories are ongoing subject to change. This brochure should not be regarded as a precise guide to find the latest technical information. Also, this brochure is not intended as a sales brochure for particular engine, boat or accessories. Distributors and dealers are no agents of Lankhorst Taselaar and has no authority to give explicit commitments on behalf of Lankhorst Taselaar, including but not limited to, statements with respect to a product, sales, applications or service. Not all products are available in all countries. Some products shown in this catalog are equipped with optional accessories. Please consult your dealer. Model, color, image, specifications changes reserved.



Talamex Marine Products distributed by Lankhorst Taselaar
Komeet 13 | 8448 CG Heerenveen | The Netherlands
T +31 (0)320 27 46 11 | E sales@lankhorst-taselaar.nl
I www.talamexinflatables.com

