



Compact and lightweight tender



# Talamex Superlight

## Compact and lightweight tender

**Lightweight, compact packing size and easy to set-up. That's where the Talamex Superlight stands for.**

The Talamex Superlight models are manufactured of 0,55mm German Valmex® Mehler PVC fabric, the best quality available. The boats are perfectly fit for Talamex electric outboard engines. And even though the boats are lightweight, they are

still allowed to carry a 4HP or 5HP engine. The Talamex Superlight's hull and high pressure air floor are attached into 1 piece. In this way the boat is even easier to set-up. This also allows to boat to be compactly packed and is therefore easy to transport and stow. The boat has a flat floor and no air keel. Moreover, due its black colour, the Talamex Superlight is a true eyecatcher on lakes and canals. The Talamex Superlight is

equipped with SS lifting and towing eyes. With its aluminium seatbench and oars, the boat is perfect for rowing and the ideal ship-to-shore tender. In the standard package of the boats is among other: a repair kit, double-action handpump, mooring line and a packing bag. The boats have 2 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection, making them meet all European requirements!

## A smart range

**The compact and lightweight Talamex Superlight is available in two different lengths, both with air floor:**

Boat type	Length
SLA 230 Superlight	230 cm
SLA 250 Superlight	250 cm

# Fully equipped



- ① Rubbing strake
- ② SS bow handle and towing D-rings on the bow
- ③ SS lifting D-ring
- ④ Air chambers
- ⑤ Soft handles for comfortable grip
- ⑥ Adjustable aluminium seatbench
- ⑦ Lifeline for extra security
- ⑧ Aluminium oars
- ⑨ Luxurious sliding drainvalve
- ⑩ 0,55mm German Valmex® Mehler PVC fabric



### Multi-chamber system

The Superlight 230 and 250 are equipped with respectively 2 and 3 air chambers for optimal safety.




### Luxurious sliding drainvalve

From the inside controlled sliding drainvalve.



### Aluminium seatbench

The aluminium seatbench is adjustable, lightweight and maintenance free.



### Valmex® Mehler PVC fabric

High quality PVC fabric for an extra long lifetime.



### SS towing D-rings

Two strong SS D-rings on the bow.



### Aluminium oars

Equipped with strong aluminium oars.



### Double-action hand pump

Boat includes a double-action hand pump for bringing the boat to optimal air pressure.



### Lifeline

Lifeline for extra safety.

# SLA Superlight

SLA 230 250

## The ideal lightweight tenderboat

The Talamex Superlight dinghies are extremely lightweight, has a very compact packing size and is easy to set-up. The air floor increases the sitting-comfort and ensures extra flotation. The black colour is a true eyecatcher on the lakes and canals. With its aluminium seatbench and oars, the boat is perfect for rowing and the ideal ship-to-shore tender.

- 0.55mm German Valmex® Mehler PVC fabric
- Adjustable aluminium seatbench
- Aluminium oars
- Sliding drainvalve
- Rubbing strake
- Double-action hand pump and repair kit included



Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
<b>85.902.230 SLA230</b>	230 x 132	Air	325	2,9/4	25	90 x 40 x 28	2	2+1	32	14,1	Short
<b>85.902.250 SLA250</b>	250 x 136	Air	425	3,7/5	25	96 x 50 x 30	3	3+1	34	14,7	Short

# Talamex electric outboard engines

TM 30 40 48 58 66 86

Combine your Talamex boat with a Talamex electric outboard engine!

- Telescopic tiller with 5 forward and 3 reverse gears
- Suitable for fresh, brackish and salt water
- Immersion depth and infinitely adjustable steering pressure
- Battery charging control display
- Battery clamps



Article number	Description	Max boatweight (kg)	Shaft length (mm)	Tiller	Weight (kg)
<b>85.804.030</b>	Talamex electric outboard engine TM30 12V	850	760	Telescopic	7,2
<b>85.804.031</b>	Talamex electric outboard engine TM40 12V	1.200	910	Telescopic	8,8
<b>85.804.032</b>	Talamex electric outboard engine TM48 12V	1.450	910	Telescopic	8,8
<b>85.804.033</b>	Talamex electric outboard engine TM58 12V	1.850	910	Telescopic	10
<b>85.804.034</b>	Talamex electric outboard engine TM66 12V	2.200	910	Telescopic	11,5
<b>85.804.035</b>	Talamex electric outboard engine TM86 24V	2.500	910	Telescopic	12,5
<b>85.804.026</b>	Eyeterminal wire kit (optional)	-	-	-	-
<b>85.922.215</b>	Bracket for trollingmotor bow mounting grey	-	-	-	-
<b>85.922.240</b>	Bracket for trollingmotor bow mounting black	-	-	-	-
<b>14.641.105</b>	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 30A	-	-	-	-
<b>14.641.106</b>	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 50A	-	-	-	-
<b>14.661.100</b>	Talamex automatic battery charger 10A, 12/24V	-	-	-	-
<b>14.649.905</b>	Battery Nautic 12V 105A	-	-	-	-

# Mariner outboard engines

F2.5M F3.5M F4M F5M F6M F8M F9.9M

Mariner has a great reputation with its outboard engines. As reliable as the engines of Mariner there are few other brands. Just carefree years sailing pleasure.

The Mariner range at Lankhorst Taselaar starts at the light 2,5HP engines for smaller boats to the heavier four stroke engines for larger boats! So there is always a model that fits your use and type of boat.



Article number	Description	Engine power in kW	Engine power in HP
98.000.120	Mariner F 2.5 M	1,9	2,5
98.000.121	Mariner F 3.5 M	2,6	3,5
98.000.123	Mariner F 4 M	2,9	4,0
98.000.126	Mariner F 5 M	3,7	5,0
98.000.128	Mariner F 6 M	4,4	6,0
98.000.130	Mariner F 8 M	5,9	8,0
98.000.131	Mariner F 9.9 M	7,3	9,9

# Accessories

## Mariner outboard engines




Article number	Description
<b>81.211.105</b>	Jerrycan fuel black 5l (264 x 140 x 246mm)
<b>81.211.110</b>	Jerrycan fuel black 10l (325 x 165 x 318mm)
<b>81.211.120</b>	Jerrycan fuel black 20l (389 x 213 x 388mm)
<b>18.702.012</b>	Carry can fuel 12l (260 x 460 x 220mm)
<b>18.702.000</b>	Carry can fuel 22l (320 x 540 x 235mm) with indicator
<b>18.702.023</b>	Carry can fuel 22l (320 x 540 x 235mm)
<b>18.702.030</b>	Carry can fuel 30l (360 x 500 x 230)
<b>91.101.810</b>	Outboard Cover XXS for 2,5-5HP (LxWxH: 40 x 25 x 30cm)
<b>91.101.811</b>	Outboard Cover XS for 2,5-15HP (LxWxH: 48 x 27 x 33cm)
<b>18.701.001</b>	Fuel hose with pump ball - 2m, Ø 9,5mm (3/8")
<b>75.460.100</b>	Tiller extension for outboards 60-120cm, Ø 25-30mm
<b>42.130.100</b>	Outboard motor lock with stainless steel AISI 316 cylinder lock. Dim.: 300 x 40 x 35mm
<b>42.117.002</b>	Outboard lock SS with hardened roller. Dim: 300 x 40 x 40mm

# Accessories

Article number	Description
85.922.108	Seatbag with cushion grey - 120x20cm
85.922.109	Seatbag with cushion grey - 105x20cm
85.922.110	Seatbag with cushion grey - 100x20cm
85.922.111	Seatbag with cushion grey - 90x20cm
85.922.112	Seatbag with cushion grey - 85x20cm
85.922.113	Seatbag with cushion grey - 80x20cm
94.100.020	Drybag 5L
94.100.021	Drybag 10L
94.100.022	Drybag 15L
85.922.123	Pressure gauge for handpump
85.922.040	Handpump standard valve Talamex
85.922.214	Anchor line holder for inflatable boat
20.300.165	Bravo BST 800 electric airpump
20.300.176	Bravo BST 800 Battery electric airpump
20.300.160	Bravo GE 230/1000 electric airpump
95.900.337	Oarlock replacement kit for bimini Aqualine, Greenline, Superlight
95.900.338	Oarlock replacement kit for bimini Comfortline, Highline, Silverline
95.900.339	Stainless steel bimini holder for oarlocker
85.922.236	Glue-on accessory base/mount (pair)
85.922.237	Adjustable plug-in holder for fishing rod
85.922.238	Adjustable plug-in platform for fishfinder/chartplotter



# Accessories



Article number	Description
<b>77.203.001</b>	Folding anchor 1,5kg
<b>77.203.002</b>	Folding anchor 2,5kg
<b>77.203.003</b>	Folding anchor 3,2kg
<b>77.203.004</b>	Folding anchor 4kg
<b>77.203.006</b>	Folding anchor 6kg
<b>79.625.102</b>	Boarding ladder for inflatables aluminium 2 steps
<b>79.625.103</b>	Boarding ladder for inflatables aluminium 3 steps
<b>85.540.174</b>	Launching wheels/Stern mounting
<b>81.101.829</b>	Boatcover Maxi Tender (300-360cm)
<b>81.101.830</b>	Boatcover Tender (240-300cm)
<b>81.101.831</b>	Boatcover XXS (420-480cm). (Boatwidth max. 180cm)
<b>81.101.832</b>	Boatcover XS (420-480cm). (Boatwidth max 229cm)
<b>85.930.200</b>	Aluminium pole for boat covers 60-100cm
<b>85.000.424</b>	Valet kit
<b>85.000.430</b>	Insta-Lock lock and lift system



# Talamex lifejackets

Specially selected for you

## Talamex Inflatable lifejacket 150N:

- Automatically & Manual
- For persons of 40 kg and more
- According ISO 12402-3

## Talamex 100N Kids lifejackets:

- Fabric 100% polyester, High visible EN ISO 20471
- Foam from light PE
- Reflective panels
- Crotchstrap for extra safety
- Adjustable waistbelt with strong nexus buckle
- Zipper closing
- According ISO 12402-4



Article number	Model	Size	Weight
20.427.505	Talamex Inflatable lifejacket 150N	Adult	40+ kg
20.427.020	Recharge set UML MK5 33g All Weather Automatic	Adult	40+ kg
20.400.001	Talamex 100N	Baby	0-15kg
20.400.015	Talamex 100N	Toddler	15-20kg
20.400.020	Talamex 100N	Child	20-30kg

# Specifications

Boat type	Length x Width (cm)	Floor	Max. load capacity (kg)	Max. engine in kW/HP	Max. engine weight (kg)	Package size boat (cm)	Max. passengers	Number of air chambers	Diameter tubes (cm)	Weight incl. oars (kg)	Transom height
<b>85.902.230 SLA230</b>	230 x 132	Air	325	2,9/4	25	90 x 40 x 28	2	2+1	32	14,1	Short
<b>85.902.250 SLA250</b>	250 x 136	Air	425	3,7/5	25	96 x 50 x 30	3	3+1	34	14,7	Short



The complete range of Talamex inflatable boats consists of the following models.  
Ask your dealer for more information or visit [www.talamexinflatables.com](http://www.talamexinflatables.com)



© 2021-01 Lankhorst Taselaar. All rights reserved. Lankhorst Taselaar continuously explores means the products it designs, manufactures and distributes to improve. We strive to the utmost to produce up-to-date sales and service documentation. The technical specifications of engines, boats and accessories are ongoing subject to change. This brochure should not be regarded as a precise guide to find the latest technical information. Also, this brochure is not intended as a sales brochure for particular engine, boat or accessories. Distributors and dealers are no agents of Lankhorst Taselaar and has no authority to give explicit commitments on behalf of Lankhorst Taselaar, including but not limited to, statements with respect to a product, sales, applications or service. Not all products are available in all countries. Some products shown in this catalog are equipped with optional accessories. Please consult your dealer. Model, color, image, specifications changes reserved.



**Talamex Marine Products distributed by Lankhorst Taselaar**  
Komeet 13 | 8448 CG Heerenveen | The Netherlands  
T +31 (0)320 27 46 11 | E sales@lankhorst-taselaar.nl  
I www.talamexinflatables.com

